



MINI XRS



Colors in option:



BV Powersports, LLC

Tel: +1 (214) 792-9388
Fax: +1 (214) 792-9355
Toll Free: +1 (877) 645-4320
Email: info@bvpowersports.com
Website: www.bvpowersports.com
Address: 2848 Reward Lane, Dallas, TX 75220, USA



MINI XRS

Engine Information

Engine type: 4-stroke, single cylinder, air cooled
 Displacement: 163cc
 Max HP: 5.5hp/3600rpm
 Max torque: 8 lb ft/3600rpm
 Bore x stroke: 2.6 x 1.8 inches
 Max speed: 12.4mph
 Climbing ability: 12 degrees
 Starting system: Manual pull start
 Battery: No
 Carburetor brand: JF (RX)
 Engine oil: SAE 15W-40

General Information

Clutch: Automatic
 Driveline / Driving wheel: Chain / Dual wheel drive
 Suspension, F / R: Dual A-arm / Double oil damped shock
 Brakes, F / R: No / Disc
 Tires, F / R: 4.10-6 / 13 x 5-6
 Fuel capacity: 1.2 gal
 Weight, G.W. / N.W.: 209 / 176 lbs
 Max load: 250 lbs

Dimension Information

Wheelbase: 41.7 inches
 OA L x W x H: 58.5x36x43 inches
 Height to seat: 7.5 inches
 Min ground clearance: 3.5 inches
 Pedal to seat back: standard 29", can be adjusted to 26" or 23"

Main Features

Powerful and reliable 4 stroke 5.5HP OHV engine,
 Pull start, no battery needed,
 Rack and pinion steering wheel,
 Two wheel drive, live axle,
 Fully suspension front and rear,
 Safety belt,
 Adjustable pedal,
 Speed governor.

TrailMaster

Configurations And Specifications Subject To Change Without Notice. "BV POWERSPORTS, LLC"





TrailMaster

MINI XRX



BV Powersports, LLC

Tel: +1 (214) 792-9386
Fax: +1 (214) 792-9355
Toll Free: +1 (877) 645-4320
Email: info@bvpowersports.com
Website: www.bvpowersports.com
Address: 2648 Reward Lane, Dallas, TX 75220, USA

Colors in option:





MINI XRX

Engine Information

Engine type: 4-stroke, single cylinder, air cooled
 Displacement: 163cc
 Max HP: 5.5hp/3600rpm
 Max torque: 8 lb ft/3600rpm
 Bore x stroke: 2.6 x 1.8 inches
 Max speed: 12.4mph
 Climbing ability: 12 degrees
 Ignition: C.D.I
 Starting system: Electric / Pull backup
 Battery: 12V 9Ah
 Carburetor.brand: JF (RX)
 Engine oil: SAE 15W-40

General Information

Clutch: Automatic
 Driveline / Driving wheel: Chain / Dual wheel drive
 Suspension, F / R: Dual A-arm / Double oil damped shock
 Brakes, F / R: No / Disc
 Tires, F / R: 4.10-6 / 13 x 5-6
 Fuel capacity: 1.2 gal
 Weight, G.W. / N.W.: 209 / 176 lbs
 Max load: 250 lbs

Dimension Information

Wheelbase: 41.7 inches
 OA L x W x H: 58.5x36x43 inches
 Height to seat: 7.5 inches
 Min ground clearance: 3.5 inches
 Pedal to seat back: standard: 29", can be adjusted to 26" or 23"

Main Features

Powerful and reliable 4 stroke 5.5HP OHV engine,
 Electric start with pull start backup, can start without battery,
 Rack and pinion steering wheel,
 Two wheel drive, live axle,
 Fully suspension front and rear,
 Sports seat with safety seatbelt,
 Adjustable pedal,
 Speed governor,
 LED headlight, horn,
 Remote control.

TrailMaster

Configurations And Specifications Subject To Change Without Notice. "BV POWERSPORTS, LLC"





MID XRS



Colors in option:



BV Powersports, LLC

Tel: +1 (214) 792-9388

Fax: +1 (214) 792-9355

Toll Free: +1 (877) 645-4320

Email: info@bvpowersports.com

Website: www.bvpowersports.com

Address: 2646 Reward Lane, Dallas, TX 75220, USA



MID XRS

Engine Information

Engine type: 4-stroke, single cylinder, air cooled
 Displacement: 196cc
 Max HP: 6.5hp/3600rpm
 Max torque: 9.6 lb ft/2500rpm
 Bore x stroke: 2.6 x 2.1 inches
 Max speed: 31mph
 Climbing ability: 12 degrees
 Starting system: Manual pull start
 Battery: 12V 9Ah only by electric start
 Carburetor brand: JF (RX)
 Engine oil: SG15W-40

General Information

Clutch: Automatic CVT
 Driveline / Driving wheel: Chain / Dual wheel drive
 Suspension F/R: - / Double oil damped shock
 Brakes, F / R: No / Hydraulic brake, Disc
 Tires, F / R: 145/70-6 / 16x6-8
 Fuel capacity: 1 gal
 Weight, G.W. / N.W.: 386 / 330 lbs
 Max load: 400 lbs

Dimension Information

Wheelbase: 48.4 inches
 OA L x W x H: 67x43-3x51.2 inches
 Height to seat: 10.2 inches
 Min ground clearance: 2.8 inches
 Pedal to seat back distance: 31.5 to 34.5 inches

Main Features

Powerful 196cc 6.5HP OHV engine,
 Pull start, no battery needed,
 Torque converter CVT system, more low-end torque,
 Fully automatic without reverse,
 Live axle, two-wheel drive,
 Manual choke, kill switch,
 Big tires: Front 145/70-6, Rear 16x6-8,
 Rack and pinion steering wheel,
 Hydraulic disc brake,
 Padding over roll cage,
 Adjustable driver seat: pedal to seat back adjustable from 31.5" to 34.5".

TrailMaster

Configurations And Specifications Subject To Change Without Notice. "BV POWERSPORTS, LLC"






MID XRX



BV Powersports, LLC

Tel: +1 (214) 792-9386
Fax: +1 (214) 792-9355
Toll Free: +1 (877) 645-4320
Email: info@bvpowersports.com
Website: www.bvpowersports.com
Address: 2848 Reward Lane, Dallas, TX 75220, USA

Colors in option:





MID XRX

Engine Information

EPA certificated
 Engine type: 4-stroke, single cylinder, air cooled
 Displacement: 196cc
 Max HP: 6.5hp/3600rpm
 Max torque: 9.6 lb ft/2500rpm
 Bore x stroke: 2.6 x 2.1 inches
 Max speed: 31mph
 Climbing ability: 12 degrees
 Ignition: C.D.I
 Starting system: Electric / Pull backup
 Battery: 12V 9Ah
 Carburetor brand: JF (RX)
 Engine oil: SG15W-40

General Information

Clutch: Automatic CVT
 Driveline / Driving wheel: Chain / Dual wheel drive
 Suspension, F / R: Double A-arm / Double oil damped shock
 Brakes, F / R: No / Hydraulic brake, Disc
 Tires, F / R: 16x6-8 / 16x7-8
 Fuel capacity: 1 gal
 Weight, G.W. / N.W.: 386 / 330 lbs
 Max load: 400 lbs

Dimension Information

Wheelbase: 48.4 inches
 O.A.L x W x H: 67x43.3x51.2 inches
 Height to seat: 10.2 inches
 Min ground clearance: 2.8 inches
 Pedal to seat back distance: 31.5-37 inches

Main Features

Powerful 196cc 6.5HP OHV engine,
 Electric start with pull start backup, can start without battery,
 Torque converter CVT system, more low-end torque,
 Fully automatic without reverse,
 Manual choke operating from dashboard,
 Big tires: Front 6x6-8; Rear 16x7-8,
 All-wheel fenders,
 Rack and pinion steering wheel,
 Hydraulic disc brake,
 Padding over roll cage, canopy top,
 LED headlight, horn,
 Individual sporting seats,
 Adjustable driver seat: pedal to seat back adjustable from 31.5" to 37".

Configurations And Specifications Subject To Change Without Notice. "BV POWERSPORTS, LLC"






150 XRS



Colors in option:



BV Powersports, LLC

Tel: +1 (214) 792-9388
Fax: +1 (214) 792-9355
Toll Free: +1 (877) 645-4320
Email: info@bvpowersports.com
Website: www.bvpowersports.com
Address: 2848 Reward Lane, Dallas, TX 75220, USA



150 XRS

Engine Information

EPA certificated
 Engine type: 4-stroke, single cylinder, air cooled
 Displacement: 150cc
 Max HP: 8.2hp/7000rpm
 Max torque: 7 lb ft/6000rpm
 Bore x stroke: 2.26x2.28 inches
 Max speed: 43.5 mph
 Climbing ability: 12 degrees
 Ignition: C.D.I
 Starting system: Electric
 Battery: 12V 10Ah
 Carburetor brand: Deli (Vacuum film)
 Engine oil: SAE 15W-40

General Information

Clutch: Automatic CTV with reverse
 Driveline / Driving wheel: Chain / Dual wheel drive
 Suspension F / R: Double A-arm / Swing-arm
 Brakes, F / R: Both hydraulic brakes, Disc
 Tires, F / R: 20x7-8 / 22x10-10
 Wheel: Steel
 Fuel capacity: 2.25 gal
 Weight, G.W. / N.W.: 573 / 485 lbs
 Max load: 500 lbs

Dimension Information

Wheelbase: 59 inches
 OAL x W x H: 85x53.1x57.5 inches
 Height to seat: 13.8 inches
 Min ground clearance: 6.7 inches
 Pedal to seat back distance: 38" to 43"

Main Features

Fully automatic high performance GY6 engine with internal reverse set up,
 Electric start with kill switch,
 Adjustable rack and pinion steering wheel,
 Large tires: Front 20X7-8; Rear 22X10-10 steel wheel,
 Individual sporting seats with four-point safety seatbelt,
 Polished stainless steel muffler,
 Adjustable driver seat: pedal to seat back adjustable from 38" to 43",
 Adjustable heavy duty front and rear shock absorber,
 Front and rear hydraulic disc brake, parking brake,
 4-point rear swing arm,
 4-wheel fenders, trailer hitch, Bikini sunshade top,
 Large rear utility rack, large gas tank,
 High-low beam head light, central rear view mirror.

Configurations And Specifications Subject To Change Without Notice. "BV POWERSPORTS, LLC"






150 XRX



Colors in option:



BV Powersports, LLC

Tel: +1 (214) 792-9386
Fax: +1 (214) 792-9355
Toll Free: +1 (877) 645-4320
Email: info@bvpowersports.com
Website: www.bvpowersports.com
Address: 2848 Reward Lane, Dallas, TX 75220, USA



150 XR3

Engine Information

EPA certificated
 Engine type: 4-stroke, single cylinder, air cooled
 Displacement: 150cc
 Max HP: 8.2hp/7000rpm
 Max torque: 7 lb ft/6000rpm
 Bore x stroke: 2.26x2.28 inches
 Max speed: 43.5 mph
 Climbing ability: 12 degrees
 Ignition: C.D.I
 Starting system: Electric
 Battery: 12V 10Ah
 Carburetor brand: Deli (Vacuum film)
 Engine oil: SAE 15W-40

General Information

Clutch: Automatic CTV with reverse
 Driveline / Driving wheel: Chain / Dual wheel drive
 Suspension F / R: Double A-arm / Swing-arm
 Brakes, F / R: Both hydraulic brakes, Disc
 Tires, F / R: 20x7-8 / 22x10-10
 Wheel: Aluminum
 Fuel capacity: 2.25 gal
 Weight, G.W. / N.W.: 573 / 485 lbs
 Max load: 500 lbs

Dimension Information

Wheelbase: 59 inches
 OA L x W x H: 85x53.1x57.5 inches
 Height to seat: 13.8 inches
 Min ground clearance: 6.7 inches
 Pedal to seat back distance: 38" to 43"

Main Features

Fully automatic high performance GY6 engine with internal reverse set up,
 Electric start with kill switch,
 Adjustable rack and pinion sporting steering wheel,
 Large tires: Front 20X7-8; Rear 22X10-10 polished aluminum wheel,
 Individual sporting seats with four-point safety seatbelt,
 Polished stainless steel muffler,
 Adjustable driver seat: pedal to seat back adjustable from 38" to 43",
 Adjustable heavy duty front and rear shock absorber,
 Front and rear hydraulic disc brake, parking brake,
 4-point rear swing arm,
 4-wheel fenders, trailer hitch, Bikini sunshade top,
 Large rear utility rack, large gas tank,
 Central rear view mirror, aluminum side mirrors,
 High-low beam head light, top hunting lights, turn signals,
 Digital speedometer/odometer.

Configurations And Specifications Subject To Change Without Notice. "BV POWERSPORTS, LLC"






300 XRX



Colors in option:



BV Powersports, LLC

Tel: +1 (214) 792-9388

Fax: +1 (214) 792-9355

Toll Free: +1 (877) 645-4320

Email: info@bvpowersports.com

Website: www.bvpowersports.com

Address: 2546 Reward Lane, Dallas, TX 75220, USA



300 XR3

Engine Information

EPA certificated
 Engine type: 4-stroke, single cylinder, water cooled
 Displacement: 300cc
 Max HP: 17.4hp/6500rpm
 Max torque: 16 lb ft/5000rpm
 Bore x stroke: 2.85x2.63 inches
 Max speed: 50 mph
 Climbing ability: 18 degrees
 Ignition: C.D.I
 Starting system: Electric
 Battery: 12V 10Ah
 Carburetor brand: TK (Vacuum film)
 Engine oil: SAE 15W-40
 Gear oil: MoS2&W-2WD-4D

General Information

Clutch: Automatic CVT with reverse
 Driveline / Driving wheel: Chain + Shaft / Dual wheel drive
 Suspension F / R: Double A-arm / Independent swing-arm
 Brakes, F / R: Both hydraulic brakes, Disc
 Tires, F / R: 20x7-8 / 22x10-10
 Fuel capacity: 2.25 gal
 Weight, G.W. / N.W.: 705 lbs / 617 lbs
 Max load: 500 lbs

Dimension Information

Wheelbase: 66.1 inches
 OA L x W x H: 90.5x53.1x57.1 inches
 Height to seat: 13.8 inches
 Min ground clearance: 8.5 inches

Main Features

Powerful 300cc CVT fully automatic with reverse engine, electric start, Liquid and oil cooling system, Shaft driven 4-wheel independent suspension, High performance shock absorbers, Steel stainless performance muffler, Polished aluminum wheels, Fenders, canopy top, Adjustable leather seat with four-point harness seatbelt, Aluminum side rearview mirrors, central rearview mirror, trailer hitch, Digital speedometer/odometer, High-low beam headlights, turn signals, horns, 12 volt power supply.

WillMaster

Configurations And Specifications Subject To Change Without Notice. "BV POWERSPORTS, LLC"

